INDEX TO VOLUME 28

The asterisk (*) preceding the page number indicates an original article. Subject entries are made for all articles. Author entries are made for original articles, correspondence and society transactions. Book Reviews, Obituaries, and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O and S, respectively.

Abramowitz, E. W.: Formula for new lotio sulphurata; preliminary note, *709
Acanthosis nigricans, 118, 869
Achromia: See under Pigmentation
Acne necrotica miliaris of scalp, *10
  quantitative estimates of hydrogen sulphide in lotions used in, *847
  rosacea and aphthae, involvement of scrotum and thigh in, 254
  vulgaris, vitamin D in treatment, 861
Acrodermatitis, 869
  atrophicans, case for diagnosis (lichen planus; radiodermatitis; acrodermatitis atrophicans), 740
  chronica atrophicans, 257, 291, 586, 759, 904
  continua, case for diagnosis (acrodermatitis continua, pustular psoriasis [Hallopeau]), 266
  continua suppurativa (Hallopeau), psoriasis or dermatophytosis, 888
Acromegaly and cutis verticis gyrata, 726
Actinobacillosis of cattle in United States, 233
Actinomycetes, pleomorphic organism showing relationships between staphylococci and actinomycetes, 234
Actinomycosis, vaccine treatment, 83
Addison's disease, scleroderma with pigmentation, 754
Adenoma, basophilic adenoma of pituitary (pituitary basophilism-Cushing syndrome), 79
  sebaceum, 263, 583
Agranulocytosis: See Angina, agranulocytic
Alden, H. S.: Modification of therapy with gold compounds in lupus erythematosus; preliminary communication, *544
Aleukemia: See Anemia, aplastic
Alexander, E. R.: Bismuth compounds in active syphilis; clinical and laboratory study of 286 cases of cutaneous syphilis, *320
Allergy: See Anaphylaxis and Allergy
Alopecia, anterior lobe pituitary extract in, *381
  areata, toxic action of metals in, 716
  cicatrisata, 448
  congenitalis hereditaria verticis, 587
  experimental, contribution to study of alopecia areata, *53
  hypertrichosis, psoriasis and endocrine dysfunction, 896
  total, in patient with neuroendocrine disturbances, 863
  transitory baldness of peculiar type following trauma, *639
  unusual dermatosis following section of fifth cranial nerve, *369
Ambler, J. V.: Diagnostic value of organic luetin reaction, *353
  Excretion of bismuth in series of clinical bismuth treatments, *615
Amebiasis cutis; report of case, *363
American Board of Dermatology and Syphilology, examinations for certificates, 73
Amshel, F.: Vaccinia, 287
Amyotrophy: See Atrophy, muscular
Anaphylaxis and Allergy; allergic nature of psoriasis vulgaris, 574
  chemical allergy and nirvanol sickness, 567
  cutaneous allergy and lymphogranulomatous antigens, *32
  fallacies and merits of sensitization tests, 80
Anaphylaxis and Allergy—Continued
  histologic changes in allergic and nonallergic wheals, 401
  is sensibility in allergy general? 410
  multiple infiltrated erythematous plaques of skin; a new dermatosis? 404
  studies in hypersensitiveness in certain dermatoses, 400
Anderson, N. P.: Case for diagnosis, 412
  Juvenile elastoma, *182
Andrews, C. B.: Effect of iodides on organic luetin reaction, *153
Andrews, G. C.: Granuloma annulare or fungus infection, 431
  Gumma, 276, 434
  Report on case previously presented, 582
  Ulcerating lesion of perianal region, 432
  Unusual pigmentation of skin, 123
Anemia, aplastic; cutaneous changes in aleukemic lymphadenosis, 574
Angina, agranulocytic, acute cutaneous infection associated with agranulocytosis or agranulemia, 135
  Vincent's disease associated with erythema multiforme-like eruption; report of case, *508
  Vincent's infection of mucous membrane, 300
Angioid streaks and pseudoxanthoma elasticum; disease syndrome with comments on literature and report of case, *546
Angiokeratoma of Mibelli, etiology of, 721
Angioma; blue nevus, 113, 599
  cavernosum serpiginosum removed by ultraviolet therapy, 426
  multiple (blue nevus), 113
Anthrax, industrial, 716
  recurrence of malignant pustule, 81
Antigens, cutaneous allergy and lymphogranulomatosus antigens, *32
  physicochemical properties of some antigens, 244
Anus, ulcerating lesion of perianal region, 432
Anusol suppositories, anal dermatitis due to resorcinol in, 737
Aphthae; acne rosacea; involvement of scrotum and thigh, 254
  aphthous ulcers caused by nuts (black walnuts), 427
Apparatus, fungicidal properties of certain clinically recognized fungicides; laboratory determinations using the Strickler-Borneman apparatus and the Henal vacuum vaporizer, *836
Appel, B.: Granuloma fissuratum, 751
Argyria: See under Silver
Arsenic; arsenical dermatitis and secondary syphilis, 267
  cutaneous sensitization to arsenic through patch test, 296
  in bismuth preparations, *841
  nature of transverse mark in nails in arsenical polyneuritis, 722
  pigmentation, 909
  vitiligo from arsphenamine dermatitis and from arsenic of unknown origin; arsenic findings in blood, urine and skin, *642
Arsenobenzol, reaction of spirocheta pallida, recurrentis and trypanosoma equiperdum to arsenobenzol preparations, 713
Arsphenamine: See also under Syphilis
  chemotherapeutic action of a soluble arsphenamine preparation on chicken spirochetosis and on human syphilis, 864
  chorea caused by toxic effect of neoarsphenamine, 243
  dermatitis, 716
  dermatitis, allergic reactions in, 240
  differential effects of arsphenamine and tryparsamide, 231

Arsphenamine—Continued
experiences with soluble preparation, 864
fatalities following use of, 231
influence of reticuloendothelial "blockade" and splenectomy upon experimental trypanosomiasis and syphilis and chemotherapeutic properties of arsphenamine and neoarsphenamine, 568
medical shock following use of neoarsphenamine, 237
method to introduce larger amounts of arsphenamines into central nervous system, 712
postarsphenamine nitritoid crisis and purpura, 718
postarsphenamine psoriasis, 718
vitiligo from arsphenamine dermatitis and from arsenic of unknown origin; arsenic findings in blood, urine and skin, *642
Artery, productive-cicatricial syphilitic disease of pulmonary artery, 400
Ataxia: See Tabes
Atrophy, idiopathic atrophy, pseudoscleroderma, with secondary epithelioma, 105
linear scleroderma with hemiatrophy of face, 583
macular, 101, 443
macular, (Schweninger-Buzzi type), 114
macular, (syphilitic), 445
muscular; syphilitic amyotrophy, 78
rare cases presenting progressive idiopathic atrophy of skin simultaneously with cancer of skin, scrofuloderma and parapsoriasis lichenoides, 409
Ayres, S., Jr.: Erythema multiforme (bacterial), 909
Juvenile elastoma, *182
Kaposi's hemorrhagic sarcoma, 906

Bacillus abortus of Bang, importance of cuti and immune clumping reactions in diagnosis of dermatoses caused by Bacillus abortus of Bang, 408
pyocyaneous in children, 567
Bacteriophage, immunologic studies with phage-coated bacteria, 401
specific soluble substance from bacteriophages, 402
Baer, H. L.: Roentgen treatment of primary lesion of tularemia, *537
Baker, R. B.: Tuberculid en plaque, 420
Baldness: See Alopecia
Bancroft, I. R., Arsenical pigmentation, 909
Pigmentation due to bismuth, 412
Barnett, C. W.: Effect of specific treatment on prognosis of syphilis of cardiovascular system, *1
Bechet, P. E.: Alopecia cicatrisata, 448
Carcinoma, 99, 115
Erythema induratum; results of treatment with old tuberculin, 117
Lichen planus of buccal mucosa, 98
Lupus vulgaris; results of treatment, 116
Mycosis fungoides, 455
Pityriasis lichenoides chronica, 106
Report on case previously shown at October, 1932, meeting, 100
Serpiginous scleroderma, 113
Becker, S. W.: Aphthae; acne rosacea; involvement of scrotum and thigh, 254
Ecthyma due to streptococcus haemolyticus, 102
Idiopathic atrophy? 248
Vitiligo; clinical and histologic study, with consideration of pinta, *497
Beckman, H.: Fever therapy in neurosyphilis, *309
Beerman, H.: Case for diagnosis, 759
Cutaneous sensitization to arsenic through patch test, 296
Exfoliative dermatitis, 757
Linear scleroderma with hemiatrophy of face, 583
Multiple telangiectases (macular) associated with syphilis, 295
Phenolphthalein eruption, 758
Beeson, B. B.: Experimental alopecia; contribution to study of alopecia areata, *53
Gouty tophi, 445
Juxta-articular nodules, 442
Recklinghausen's disease, 251
Rupioid syphilis, 440
Syphilis (congenital), 247
Beinhaur, L. G.: Lupus erythematosus; radiodermatitis; squamous cell carcinoma, 288
Benham, R. W.: Yeastlike fungi found on skin and in intestines of normal subjects; survey of 100 persons, *532
Bessemans, A.: Hot baths in experimental syphilis, 229
Bianchi, T. B.: Cutanéous allergy and lymphogranulomatous antigens, *32
Bismarsen, therapeutic efficiency of bismarsen in experimental syphilis in rabbits; comparison with arsphenamine, *389
Bismuth: See also under Syphilis
calcium thiosulphate in treatment of complications of "914" and bismuth administration in syphilis, 403
comparative pharmacologic study of absorption, distribution and excretion of injectable bismuth preparations, 570
compounds in active syphilis; clinical and laboratory study of 286 cases of cutaneous syphilis, *320
dermatitis medicamentosa (bismuth), 593
drug eruption: reaction to bismuth and gold salts, report of case, *820
excretion of bismuth in series of clinical bismuth treatments, *615
nitritoid crisis due to, report of case, *780
pigmentation due to, 412
pigmentation of buccal mucosa; healed carcinoma and gumma of tongue, 588
preparations, presence of arsenic in, *841
Black walnuts, aphthous ulcers caused by nuts (black walnuts), 427
Blastomycosis, blastomycetic dermatitis by lymphatic extension, *219
Blood, carotene in; yellow pigmentation of skin accompanying carotenemia, 410
Cells: See Erythrocytes; Leukocytes
cholesterol in lupus erythematosus, 719
sugar; cause of hyperglycemia in eczematous patients, 234
transfusion, syphilis from, 568
vessels, syphilitic peripheral vascular disease, 712
Bloom, D.: Alopecia, hypertrichosis, psoriasis and endocrine dysfunction, 896
Erythroplasia, 879
Idiopathic multiple hemorrhagic sarcoma (Kaposi), 877
Lymphogranuloma inguinale of tongue and cervical glands: report of case, *810
Tuberculid or lichen nitidus, 290
Bone, fungus infection with involvement of bone, 904

Book Reviews:
Diseases of Tradesmen: B. Ramazzini, 304
Handbuch der biologischen Arbeitsmethoden: Die Methoden zur Serodiagnostik der Syphilis; A. Klopstock, 305
Inherited Abnormalities of Skin and Its Appendages: E. A. Cockayne, 915
Light Therapy: F. H. Krusen, 605
Traité de dermatologie clinique et thérapeutique; J. Belot, P. Chevallier, J. Gate, P. Joulia, M. Pinard; E. Ramel, E. Schulmann, A. Touraine, and R.-J. Weissenbach, 304

Books received, 605, 761
Brain, spirochete content of brain and internal organs of syphilitic rats, 724
Breast, carcinoma in male, 748
telangiectasia due to roentgen therapy, fibrosis of chest and possible malignancy of right mammary gland, 729
Bromoderma, nodular, 744
Brucella Abortus: See under Bacillus

Buerger's Disease: See Thrombo-angiitis obliterans
Burns, treatment with gentian violet, 860

Cade, oil of cadeberry; little known drug valuable in certain dermatoses, *29
oil of, spontaneous idiosyncrasy to, 404
Calcinosis, calcification of skin and subcutaneous tissues (calcinosis), *510
circumscripta, 76
cutaneous, 595
universalis, 714
Calcium, rôle of sodium, potassium, calcium and magnesium in cancer, 711
thiosulphate in complications of "914" and bismuth administration in syphilis, 403
Campbell, H. S.: Fungus infection, 905
Fungus infection with involvement of bone, 904
Sporotrichotic chancre, *61
Cancer: See also Adenoma; Sarcoma; etc.
Cancer, 99, 115
and lupus vulgaris and carcinoma, 111
histologic changes in lymph glands in cancer, 83
lip, 228
local effect of insulin on cancer of skin, 82
lupus erythematosus; radiodermatitis; squamous cell carcinoma, 288
precancer; erythroplasia of Queyrat, *798
rare cases presenting progressive idiopathic atrophy of skin simultaneously with cancer of skin, scrofuloderma and parapsoriasis lichenoides, 409
relation of carcinogenicity of mineral oils to certain physical and chemical characteristics of these oils, 714
rôle of sodium, potassium, calcium and magnesium in cancer, 711
skin metastases, 585
tar, review of recent literature, 399
Canities: See Hair
Cannon, A. B.: Acrodermatitis chronica atrophicans, 904
Granuloma inguinale, 896
Gumma of scalp (multiple), 897
Leprosy: macular anesthetic type, 117
Lymphoblastoma, 899
Multiple gummas, 895
Mycosis fungoides, 901
Pemphigus, 276
Vitiligo from arsphenamine dermatitis and from arsenic of unknown origin; arsenic findings in blood, urine and skin, *642
Capillaries, present day technique for study of human capillaries, 568
Cardiovascular System, effect of specific treatment on prognosis of syphilis of cardiovascular system, *1
syphilis, bismuth in, 80
syphilis in boy, 81
Caro, M. R.: Lichen planus, 725
Mycosis fungoides, 446, correction 761
Sarcoid, 103, 733
Schamberg's disease, 734
Carotinemia: See Blood, carotene in
Cellulitis, dissecting cellulitis of scalp (perifolliculitis capitis abscedens et suffodiens-Hoffmann), 261
Cerebrospinal fluid, prognosis of negative reaction of spinal fluid in syphilis, 84
Chambers, S. O.: Case for diagnosis, 908
Pemphigus vulgaris and foliaceus, 907
Chancres, multiple chancres on lips and genitalia, 302
sporotrichotic chancre, *61
Chancroid; prevalence and treatment with specific vaccines, *155
Chargin, L.: Erythrodermia psoriatica with formation of fibromas, 874
Lymphoblastoma (Hodgkin's type?), 871
Macular atrophy (Schweninger-Buzzi type), 114
Pityriasis rubra pilaris, 881
Psoriasis in a full-blooded Negro, 870
Syringoma, 889
Syringoma of chest and abdomen, 599
Chickenpox, relationship between viruses of zoster and varicella as demonstrated by complement-fixation reaction, 401
Chloasma faciei in young girls, nonpregnant women and men, 241
Chloral, eczematous dermatitis due to exposure to chloral, 862
Chlorine, fungicidal action of some common disinfectants on two dermatophytes, *15
Cholesteremia: See Blood, cholesterol
Chorea caused by toxic effect of neoarsphenamine, 243
Cicatrix, lichen planus atrophicus and lichen planus in scar, 903
Clark, T.: Gummas of tongue, with beginning malignancy, 91
Lupus vulgaris, 90
Clayton, M. B.: Pseudoxanthoma elasticum and angioid streaks; disease syndrome with comments on literature and report of case, *546
Cobalt, inherent sensitivity of skin to nickel and cobalt (allied elements in group VIII, periodic system), 400
Cohen, M. H.: Successful treatment of vitiligo, *215
Cole, H. N.: Excretion of bismuth in series of clinical bismuth treatment, *615
Combes, F. C.: Herpes zoster with generalized vesicular lesion, 453
Condyloma acuminatum, case for diagnosis, 128
acuminatum treated by Biberstein vaccine, 105
Conjunctiva, lupus erythematosus of palpebral conjunctiva, 243
vaccinia of eyelids and conjunctiva, 77
Cornbleet, T.: Macular atrophy, 443
Dermatofibrosarcoma of Darier, 256
Psoriasis appearing at age of 82 years, 443
Self-sterilizing powers of skin; are they endowed by surface acid? *526
Cornea, rosacea of cornea and keratitis, 294
Cornell, V. A. H.: Pityriasis rosea: report of case showing gigantic herald plaque with unusual manifestations, *823
Corneomas, peculiar case of porokeratotis mibelli with corneomas, 572
Cosmetics, dermatitis produced by cosmetics, 861
uses and dangers, 572
Coulter, J. S.: Dermatitis herpetiformis treated with heat therapy, 728
Coutts, W. E.: Cutaneous allergy and lymphogranulomatous antigens, *32
Crance, A. M.: Vincent's disease associated with erythema multiforme-like eruption: report of case, *508
Crawford, S.: Amebiasis cutis: report of case, *363
Cummer, C. L.: Multiple sarcoids of Boeck, 913
Curth, W.: Extragenital infection with virus of lymphogranuloma inguinale, *376
Cutis Verticis: See Scalp
Cystine, regrowth of hair following administration of cystine in form of hydrolyzed wool, 296
Cysts, sebocystomatosis, 721

Darier's disease: See Keratosis follicularis
Davis, J. B.: Pityriasis rosea; account of suggested contagiousness and of attempted experimental transmission, *13
Dennie, C. C.: Aphthous ulcers caused by nuts (black walnuts), 427
Dermatomyositis, 430
Pemphigus vulgaris of 4 years' duration (apparently cured), 427
Sarcoid or syphilid, 430
Scleroderma following erysipelas, 417
Syphilis (hereditary, cerebrospinal), 422
Syringomyelia in child 22 months old, 420
Xeroderma pigmentosum with multiple epitheliomas, 426
Dermatitis artefacta, 96, 145, 603
due to Vitamin A deficiency, *700
exfoliativa, 140, 274, 295, 757

Dermatitis—Continued
factitia; erythema multiforme; acquired epidermolysis bullosa, 281
Herpetiformis: See Dermatitis multiformis
hypersensitiveness in certain dermatoses, 400
irritant, or neurodermatitis, 80
Medicamentosa: See also Arsenic; Arsphenamine; Atrophine; Bismuth; Ephedrine; Phenolphthalein; etc.
medicamentosa (bismuth), 593
medicamentosa; case for diagnosis: tuberculosis, syphilis or eruption due to drug? 595
medicamentosa; dermatitis eczematosa due to drug, *461
medicamentosa; dermatitis exfoliativa following injections of gold compound, 108
medicamentosa; drug eruption due to solganol, 402
medicamentosa; dye dermatitis in relation to idiosyncrasy, 234
medicamentosa; hydrogen ion concentration of topical preparations commonly employed in dermatology, *149
medicamentosa; iododerma, 109
medicamentosa; nodular bromoderma, 744
medicamentosa; nupercaine, 860
medicamentosa; reaction to bismuth and gold salts, report of a case, *820
multiformis, 88, 123, 294, 407, 878
multiformis, heat therapy in, 728
ragweed dermatitis, report of 2 cases, *223
vegetans, 875
Venenata: See also under names of substances as Gold; Nickel; etc.
venenata, 275
venenata; cosmetics, 572, 861
venenata; dermatitis caused by ethyl gasoline, *174
venenata; dermatitis of eyelids due to rubber on eyelash curler, *222
venenata due to matches, 594
venenata; outbreak of dermatitis in cotton mills due to varnish, 714
Dermatofibrosarcoma of Darier, 256
Dermatology, directory of societies, 146, 306, 458, 606, 763, 916
postgraduate course in dermatology, 73
Dermatomyositis, 430
Dermatophytes; Dermatophytosis: See under Mycosis
Dermatosis: See Dermatitis; Eczema; Skin diseases; etc.
Dermoids, pigmented nevi in epidermis of ovarian dermoids, 86
De Wolf, H. F.: Dermatitis medicamentosa (bismuth), 593
Dermatitis venenata due to matches, 594
Dissecting cellulitis of scalp (perifolliculitis capitis abscedens et Suffodiens-Hoffmann), 261
Excretion of bismuth in series of clinical bismuth treatments, *615
Granuloma inguinale, 593
Granuloma inguinale: latent syphilis; gonorrheal urethritis, 912
Intoxication from thallium acetate (encephalitis) with recovery, 913
Lupus erythematosus disseminatus, 257
Lymphogranuloma inguinale, 590, 591
Lymphogranuloma inguinale: anorectal syndrome, 259
Lymphogranuloma inguinale: esthiomene, 589
Lymphogranuloma inguinale: spontaneous recovery, 589
Seronegative primary syphilis and lymphogranuloma inguinale, 590
Tertiary syphiloderm; glandular tuberculosis, 912
Diabetes insipidus and pemphigus gravidarum, 407
mellitus and erythema induratum, 282
mellitus; lichen planus showing xanthoma-like coloration (diabetes mellitus), 881
Diasio, F. A.: Granuloma fissuratum, Sutton (granuloma telangiectodes fissuratum): report of case, *521
Diathermy: See under names of various diseases
Diphtheroid of skin, 244
Directory of dermatologic societies, 146, 306, 458, 606, 763, 916
Disinfectants, fungicidal action of some common disinfectants on two dermatophytes, *15; correction, 761
Downing, J. G.: Melanotic sarcoma, 750
Monilia infection of mouth, fingers and face, 749
Naevus flammeus et varicosus; hemihypertrophy, 752
Psoriasis localized on fingers, 751
Drant, P.: Case for diagnosis, 298
Pityriasis lichenoides chronica, 303
Probable pulmonary tuberculosis and lupus erythematosus, 293
Drugs, eruptions due to: See Dermatitis medicamentosa
Duhring's Disease: See Dermatitis multiformis
Durand-Nicolas-Favre Disease: See Lymphogranuloma inguinale
Dye dermatitis in relation to idiosyncrasy, 234
Dyshidrosis: See under Sweat and Sweat Glands

Ebert, M. H.: Gouty tophi, 445
Hypertrophic striae distensae, *825
Juxta-articular nodules, 442
Melanocarcinoma, 444
Recklinghausen's disease, 251
Rupioid syphilis, 440
Syphilis (congenital), 247
Ecthyma due to Streptococcus haemolyticus, 102
Ectodermal dysplasia, hereditary ectodermal dysplasia of anhidrotic type; report of case, with results of biopsy, *66
Eczema, 272
cause of hyperglycemia in eczematous patients, 234
contact eczema; rubber cements as adhesive in patch testing, *795
eczematous dermatitis due to exposure to chloral, 862
nickel eczema, *688
prurigo-eczema, 406
quantitative observations on eczema reaction, 237
uric acid and eczema; uricacidemia and renal elimination of uric acid in patients treated with uric acid, 573
Edema, solid edema of ears and face, 138, 597
Editorial: Treatment by method rather than diagnosis, [W. A. P.] 397
Elastoma, juvenile, *182
Electrocardiographic findings in primary and in very early secondary syphilis, 232
Electrocoagulation: See under names of various diseases
Elephantiasis of leg, report on case shown at Oct., 1932, meeting, 145
Eller, J. J.: Rosacea-like tuberculid of Lewandowsky, 119
Emmons, C. W.: Fungicidal action of some common disinfectants on two dermatophytes, *15; correction, 761
Encephalitis, intoxication from thallium acetate (encephalitis) with recovery, 913
skin changes in chronic encephalitis, 409
Endocrine Glands; alopecia, hypertrichosis, psoriasis and endocrine dysfunction, 896
disturbances, total alopecia in, 863
relation of skin diseases to internal secretions, 232
Engman, M. F., Jr.: Pityrosporon of Malassez, *855
Epidermolysis bullosa, 864
bullosa; erythema multiforme, dermatitis factitia, acquired epidermolysis bullosa, 281
Epidermophytids and trichophytin reaction, *560
Epithelioma beginning at age of 14, 264
benign, cystic, 889
calcified epithelioma of skin, 87
idiopathic atrophy, pseudoscleroderma, with secondary epithelioma, 105

Epithelioma—Continued
multiple benign epithelioma of scalp, 711
rodent type in native of Bouganville, Territory of New Guinea, 717
squamous cell epitheliomata of skin of face, 715
superficial epithelioma, basosquamous type, 252
xeroderma pigmentosum with multiple epitheliomas, 426
Epstein, N. N.: Calcification of skin and subcutaneous tissues (calcinosis), *510
Case for diagnosis, 90
Periadenitis mucosa necrotica recurrens, 867
Erysipelas, changes of musculature in diffuse scleroderma of upper extremity, amputated on account of bulbous gangrenous erysipelas, 406
scleroderma following erysipelas, 417
Erythema annulare centrifugum, 452
caloricum associated with remote reaction to heat (neurodermatitis and dyshidrosis); heat allergy, *168
centrifugum annulare of Darier, 260
discoid lupus erythematosus, with generalized erythema (disseminated lupus erythematosus or toxic erythema from gold), 601
fixed, 413
induratum: diabetes mellitus, 282
induratum: papulonecrotic tuberculids associated with erythema induratum and livedo racemosa, 118
induratum, results of treatment with old tuberculin, 117
multiforme (bacterial), 909
multiforme bullosum, 92
multiforme: dermatitis factitia: acquired epidermolysis bullosa, 281
multiforme haemorrhagicum bullosum, 894
multiforme, Vincent's disease associated with erythema multiforme-like eruption; report of case, *508
multiple, infiltrated, erythematous plaques of skin: a new dermatosis? 404
nodosum epidemic in hospital, 85
nodosum exulcerans, 722
nodosum in primary extrapulmonary tuberculosis, 411
nodosum, occurrence of tubercle bacilli in gastric lavage from 100 consecutive cases of, 411
nodosum, remote prognosis of, 81
nodosum, tuberculous infection with erythema nodosum, 238
polymorphus erythemas; infectious disease or reaction of intolerance, 403
toxic, 884
Erythrocytes in pellagra 399
Erythrodermia, case for diagnosis, 125, 436
congenital, ichthyosiform, of hystrix type, 429
ichthyosiform, 240
psoriatica (universal psoriasis), 874
psoriatica with formation of fibromas, 874
Erythroplasia, 879
histology of, 239
of Queyrat, *798
Esthiomene: lymphogranuloma inguinale, 589
Ethyl Gasoline: See Gasoline
Excoriations, neurotic, 261
Exophthalmos, late congenital syphilis with extensive scarring and exophthalmos, 742
Exostosis, subungual, 585
Eye, pemphigus, 279
Eyelash curler, dermatitis due to, *222
Eyelids, dermatitis of eyelids due to rubber on eyelash curler, *222
fibroma of, 130
vaccinia of eyelids and conjunctiva, 77

Fat necrosis, subcutaneous, of new-born, 738
Favus, 876
epidemiology, 720
generalized, 403
Feit, H.: Acrodermatitis, 869
Keratodemies punctuées (Mantoux): keratodermia disseminata palmaris et plantaris (Buschke and Fischer), 903
Psoriasis pustulosa, 116
Feit, H.—Continued
Roentgen dermatitis treated with salt-free diet and vitamin A-rich regimen, 880
Feldman, S.: Lichen planus and psoriasis, 888
Sarcoma (Kaposi), 112
Ferris, C. R.: Recklinghausen's disease, 424
Fever Therapy: See also Malaria therapy
brief review of fever therapy in neurosyphilis, *309
treatment of syphilis with hyperpyrexia produced by diathermy, 232
Fibroma, case for diagnosis (fibroma with an ecchymotic ring), 892
erythrodermia psoriatica with formation of fibromas, 874
of eyelid, 130
Filaria Loa: See Loa loa
Fisher, A.: Mikulicz' disease, 288
Foerster, H. R.: Malignant erythrodermia, 436
Foerster, O. H.: Malignant erythrodermia, 436
Folliculitis decalvans, 93, 286
perifolliculitis capitis, 261
ulerythematosa reticulata, 431
Fordyce Disease: See Fox-Fordyce disease
Foreign body peppering of skin as industrial injury, 721
Fox, E. C.: Dermatitis of eyelids due to rubber on eyelash curler, *222
Fox, H.: Case for diagnosis; prurigo-like eruption, 95
Cutaneous calcinosis, 595
Late congenital syphilis with extensive scarring and exophthalmos, 742
Lupus erythematosus and syphilis, 741
Lupus erythematosus disseminatus, 581
Nevus linearis, 579
Nevus lymphangiomatosus, 144
Pemphigus vulgaris with extensive pigmentation in Negress, 740
Solid edema of ears and face, 138, 597
Subcutaneous fat necrosis of new-born, 738
Fox-Fordyce disease, 890
Frambesia, immunologic study of spirochetoses: cutaneous inoculation with frambesia or syphilis followed by intravenous reinoculation with syphilis or frambesia, respectively, 244
symptomatology of yaws in Liberia, 863
ulcer of leg; localization as point of differential diagnosis in syphilis and yaws endemic countries, *44
Fraser, J. F.: Folliculitis decalvans? 93
Kaposi's sarcoma, 143
Frick, J. P.: Mycosis fungoides, 415
Pemphigus vegetans, 416
Friedman, R.: Bismuth pigmentation of buccal mucosa; healed carcinoma and gumma of tongue, 588
Recurrent bullous eruption on penis and scrotum due to phenolphthalein, 588
Frost, K.: Case for diagnosis, 910
Sporotrichotic chancre, *61
Fungicides, fungicidal properties of certain clinically recognized fungicides; laboratory determinations using the Strickler-Borneman apparatus and the Henal vaccum vaporizer, *836
Fungus: See also Actinomycosis; Blastomycosis; Moniliasis; Mycosis; Oidium; Ringworm; etc.
fungicidal action of some common disinfectants on two dermatophytes, *15; correction, 761
infection, 905
infection, case for diagnosis: granuloma annulare or fungus infection, 431
infection with involvement of bone, 904
yeastlike fungi found on skin and in intestines of normal subjects; survey of 100 persons, *532
Furunculosis, case for diagnosis, 126

Gamma rays, biologic action, 575
Gandy, D. T.: Nitritoid crisis due to bismuth; report of case, *780
Gangrene, dry, of face, 567
progressive post-operative cutaneous gangrene, 77

Garner, V. C.: Tuberculous laryngitis with tuberculoma of tongue (tuberculous fissure), 132
Gasoline, ethyl, dermatitis caused by, *174
Gastro-intestinal tract, frequency of syphilis in diseases of digestive system, 83
Gaul, L. E.: Clinical spectroscopy; study of biopsy material taken from patients receiving gold sodium thiosulphate, *790
Gerson-Herrmannsdorfer diet: See Tuberculosis
Gilman, R. L.: Keratosis palmaris et plantaris with contractures, 299
Lichen planus zosteriforme, 587
Gilmour, A. J.: Scleroderma, 890
Tuberculosis verrucosa cutis, 120
Glasscock, E. L.: Leishmaniosis or rhinopharyngitis mutilans, 423
Parapsoriasis; mycosis fungoides, 421
Glaucoma, naevus flammeus of face associated with glaucoma, 406
Glossina, transmissibility of tryparsamide-resistance through glossina, 401
Gold compound, dermatitis exfoliativa following injections of, 108
dermatitis or lupus erythrematosus, 886
discoid lupus erythematosus, with generalized erythema (disseminated lupus erythematosus or toxic erythema from gold), 601
modification of therapy with gold compounds in lupus erythematosus; preliminary communications, *544
salts, drug eruption; reaction to bismuth and gold salts, report of case, *820
sodium thiosulphate, clinical spectroscopy; study of biopsy material taken from patients receiving gold sodium thiosulphate, *790
Goldman, L.: Nickel eczema, *688
Goodman, H.: Dermatitis venenata, 275
Erythema multiforme haemorrhagicum bullosum, 894
Lupus vulgaris and carcinoma, 111
Quantitative estimates of hydrogen sulphide in lotions used in treatment of acne, *847
Gout, gouty tophi, 445
uric acid and psoriasis, 720
Granuloma annulare, 452
annulare, atypical lichen planus of forhead simulating granuloma annulare, 404
annulare, case for diagnosis: granuloma annulare or fungus infection, 431
annulare, demonstration of tubercle bacilli in circulating blood by Lowenstein's method in various forms of tuberculosis of skin, lupus erythematosus and granuloma annulare, 575
coccidioidal granuloma, report of case originating in western Texas, *175
fissuratum, 751
fissuratum, Sutton (granuloma telangiectodes fissuratum); report of case, *521
fungoides, 405
inguinale, 300, 418, 593, 896
inguinale; latent syphilis; gonorrheal urethritis, 912
inguinale, specific effect of "Fouadin" (Fuadin) on, 861
of gum, 91
telangiectaticum in South Baden, 865
Greenbaum, S. S.: Acute cutaneous infection associated with agranulocytosis or agranulemia, 135
Lupus erythematosus, seborrheal type and lichen spinulosus, 135
Onychomadesis due to acute lichen planus, 133
Papulonecrotic tuberculid associated with active tuberculosis, 588
Greene, L. B.: Angioma cavernosum serpiginosum, removed by ultraviolet therapy, 426
Greenhouse, C.: Pityriasis rosea; report of case showing gigantic herald plaque with unusual manifestations, *823
Griggs, L.: Papulonecrotic tuberculid associated with active tuberculosis, 588
Subungual exostosis, 585
Gross, P.: Acrodermatitis chronica atrophicans, 291
Atypical psoriasis, 290
Gross, P.—Continued
Papulonecrotic tuberculids associated with erythema induratum and livedo racemosa, 118
Psoriasis, dermatophytosis or acrodermatitis continua suppurativa (Hallopeau), 888
Guequierre, J. P.: Carcinoma; metastases of skin, 585
Ichthyosis hystrix, 582
Linear nevus, 582
Nodulo-ulcerative gumma of knee simulating lupus vulgaris, 584
Gumma, 276, 434, 745, 873
bismuth pigmentation of buccal mucosa; healed carcinoma and gumma of tongue, 588
finger, 281
multiple, 578, 895
nodulo-ulcerative gumma of knee simulating lupus vulgaris, 584
scalp (multiple), 897
syphilis with disappearance of meningeal symptoms after appearance of multiple gummas, 433
tic as result of muscular gumma, 865
tongue, with beginning malignancy, 91
Gums, granuloma of gum, 91

Hagebusch, O. E.: Pityrosporon of Malassez, *855
Hair, hereditary canities and vitiligo, *697
hypertrichosis, alopecia, psoriasis and endocrine dysfunction, 896
perifolliculitis capitis, 261
regrowth of hair following administration of cystine in form of hydrolyzed wool, 296
Halloran, C. R.: Case for diagnosis, 414
Hansen's Disease: See Leprosy
Harris, J. H.: Morphea, 885
Mycosis fungoides, 877
Penile lesion associated with tuberculosis of testis, 447
Hasselmann, C. M.: Ulcer of leg; its localization as point of differential diagnosis in syphilis and yaws endemic countries, *44
Heart disease, telangiectases associated with chronic cardiac disease, 299
Heat allergy; erythema caloricum associated with a remote reaction to heat, *168
Hecht, J.: Pustular psoriasis (acrodermatite continué of Hallopeau), 288
Hemangioma, 755
multiple hemangiomas showing certain malignant characteristics in infant, 711
Hemihypertrophy and naevus flammeus et varicosus, 752
Henal vacuum vaporizer, fungicidal properties of certain clinically recognized fungicides; laboratory determinations using the Strickler-Borneman apparatus and the Henal vacuum vaporizers, *836
Henderson, K. I.: Excretion of bismuth in series of clinical bismuth treatments, *615
Hermannsdorfer-Sauerbruch-Gerson Diet: See under Tuberculosis
Herpes gestationis, *782
inoculation with patient's own sputum to identfy virus of herpes, 865
treatment of neurosyphilis with herpes virus and of malaria with nonspecific protein, 721
zoster, relationship between viruses of zoster and varicella as demonstrated by complement-fixation reaction, 401
zoster with generalized vesicular lesion, 453
Hidrosadenitis: See under Sweat and Sweat Glands
Hill, A. M.: Hereditary ectodermal dysplasia of anhidrotic type; report of case, with results of biopsy, *66
Hirsutism: See under Hair
Hodgkin's Disease: See Lymphogranuloma
Hollander, L.: Hereditary canities and vitiligo, *697
Mikulicz's disease, 288
Pustular psoriasis (acrodermatite continué of Hallopeau), 288
Tularemia, 287

Hopkins, A. M.: Yeastlike fungi found on skin and in intestines of normal subjects; survey of 100 persons, *532
Hopkins, J. G.: Lichen scrofulosorum with spinulosus-like lesions, 107
Howard, R. L.: Excretion of bismuth in series of clinical bismuth treatments, *615
Herpes gestationis, *782
Hydroa vacciniforme, 863, 890
Hydrogen ion concentration of topical preparations commonly employed in dermatology, *149
sulphide, quantitative estimates of hydrogen sulphide in lotions used in treatment of acne, *847
Hyperglycemia: See Blood, sugar
Hyperhidrosis: See under Sweat and Sweat Glands
Hyperpyrexia: See under Fever; Malaria therapy
Hyperthyroidism: See under Thyroid
Hypertrichosis: See under Hair
Hypertrophy, hemihypertrophy and naevus flammeus et varicosus, 752
total unilateral hypertrophy, 567

Ichthyosis hystrix, 582
ichthyosiform erythroderma (erythrodermie congenitale ichthyrosiforme of Brocq, keratosis rubra congenita of Rille), 240
Impetigo, treatment, 402
Industrial anthrax, 716
dermatitis, 717
injury, foreign body peppering of skin as, 721
Infants, subcutaneous fat necrosis of newborn, 738
Inflammation, studies on inflammation: factor in invasiveness by pyogenic bacteria, 714
Insulin, local effect of insulin on cancer of skin, 82
Intestines, yeastlike fungi found on skin and in intestines of normal subjects; survey of 100 persons, *532
Iodides, effect of iodides on organic luetin reaction, *153
Iodine, fungicidal action of some common disinfectants on two dermatophytes, *15
iododerma, 109
Irgang, S.: Bismuth compounds in treatment of active syphilis: clinical and laboratory study of, 286 cases of cutaneous syphilis, *320
Ivy, Poison: See under Rhus

Jacobson, H. P.: Lupus erythematosus (Usher-Senear type) associated with unusual complications, 911
Jacoby, R.: Lupus erythematosus disseminatus, 751
Jamieson, R. C.: Lymphoblastoma, 577
Tuberculosis cutis, 286
Johnson, D. W.: Dermatitis caused by ethyl gasoline, *174
Granuloma annulare? fungus infection? 431
Jones, J. W.: Modification of therapy with gold compounds in lupus erythematosus; preliminary communication, *544
Juxta-articular nodules, 442

Kaposi's Disease: See Xeroderma pigmentosum
Karcher, E. W.: Kaposi's sarcoma, 283
Parapsoriasis or pityriasis rosea, 282
Karelitz, M. B.: Vitiligo from arsphenamine dermatitis and from arsenic of unknown origin; arsenic findings in blood, urine and skin, *642
Keil, F. C.: Dermatitis vegetans, 875
Keil, H.: Relationship between lupus erythematosus and tuberculosis; critical review based on observations at necropsy, *765
Keim, H. L.: Pemphigus of Senear-Usher type, 578
Keloid or hypertrophic scar? 598
Keratitis and rosacea of cornea, 294
interstitial, first appearing after mercurial inunctions, 136
syphilitic, in rabbits produced by bulbar subconjunctival inoculation with spirochetes and distribution of spirochetes in tissue, 724
Keratodermia, keratodemies punctuées (Mantoux): keratodermia disseminata palmaris et plantaris (Buschke and Fischer), 903
Keratosis follicularis (Darier), 107, 420
follicularis spinulosa decalvans, 241
palmaris et plantaris, 289
palmaris et plantaris with contractures, 299
Kesten, B. M.: Keratosis follicularis (Darier), 107
Kidney, syphilitic nephrosis, 84
King, A. D.: A case for diagnosis (tuberculosis), 756, 757
Kingsbury, J.: Leprosy, 116
Klauder, J. V.: Acrodermatitis atrophicans chronicus, 586
Dermatitis exfoliativa, 295
Dermatitis herpetiformis, 294
Interstitial keratitis first appearing after mercurial inunctions, 136
Regrowth of hair following administration of cystine in form of hydrolyzed wool, 296
Rosacea of cornea and keratitis, 294
Koetter, G. F.: Fixed erythema, 413
Kraurosis vulvae, 748
Kurtz, F. H.: Pityriasis rosea: account of suggested contagiousness and of attempted experimental transmission, *13

Lain, E. S.: Xanthomatosis multiplex, 425
Lane, J. E.: Acne necrotica miliaris of scalp, *10
Hidrosadenitis axillaris of Verneuil, *609
Joseph Jacob Plenk, *193
Lapowski, B.: Pemphigus, 270
Psoriasis, 270
La Rocco, C. G.: Multiple sarcoids of Boeck, 913
Larynx, tuberculous laryngitis with tuberculoma of tongue (tuberculous fissure), 132
Lashinsky, I. M.: Dermatitis herpetiformis, 878
Lichen planus showing xanthoma-like coloration (diabetes mellitus), 881
Lawless, T. K.: Colloidal mercuric sulphide; clinical study, *475
Laymon, C. W.: Culture of tubercle bacillus by Löwenstein method, *35
Leishmaniasis, infection of phlebotomus argentipes from dermal leishmania, 862
or rhinopharyngitis mutilans? 423
Leprosy, 116
blood changes in, 83
chaulmoogra oil and its derivatives in, 862
macular anesthetic type, 117
report of 3 cases, particularly in regard to presence of bacillemia, 573
Leukemia cutis associated with lymphatic leukemia, 869
Leukoderma: See Vitiligo
Leukokeratosis: See Leukoplakia
Leukoplakia of buccal mucosa and leukokeratosis of tongue, 435
Levin, E. A.: Calcification of skin and subcutaneous tissues (calcinosis), *510
Levin, O. L.: Hydrogen ion concentration of topical preparations commonly employed in dermatology, *149
Lichen planus atrophicus and lichen planus in scar, 906
Lichen scrofulosorum, 893
Lichen scrofulosum and papulonecrotic tuberculid, 892
Lupus vulgaris, 903
Purpura annularis telangiectodes; report of case with autopsy, *384
Tuberculosis cutis appearing in skin graft, 894
Levine, B.: Acrodermatitis chronica atrophicans, 257
Neurotic excoriations? 261

Lewis, G. M.: Benign cystic epithelioma, 889
Lupus erythematosis (?); dermatitis medicamentosa (gold), 886
Onychomycosis, 888
Parapsoriasis; psoriasis, 883
Pseudoxanthoma elasticum and angioid streaks; disease syndrome with comments on literature and report of case, *546
Lichen nitidus, 94, 266, 739
nitidus or tuberculid, 290
obtusus corneus, 727
planus, 142, 247, 576, 725
planus and psoriasis, 888
planus atrophicus and lichen planus in scar, 903
planus, atypical, of forehead simulating granuloma annulare, 404
planus, clinical variants of familial diseases of skin, *190
planus, nature of, 718
planus of buccal mucosa, 98
planus, onychomadesis due to acute lichen planus, 133
planus radiodermatitis or acrodermatitis atrophicans, 740
planus showing xanthoma-like coloration (diabetes mellitus), 881
planus with prurigo-like lesions, 242
planus with vesicles, 280
planus zosteriforme, 587
ruber planus, treatment by hypnosis, 720
sclerosis et atrophicus (Hallopeau), 440
scrofulosorum, 892
scrofulosorum and papulonecrotic tuberculid, 892
scrofulosorum with spinulosus-like lesions, 107
spinulosus and lupus erythematosus, seborrheal type, 135
Light, persistent hypersensitivity to light after intravenous injections of trypaflavine, 236
Lingua: See Tongue
Lip, cancer, 228
chancres, multiple, on lips and genitalia, 302
Livedo racemosa; papulonecrotic tuberculids associated with erythema induratum and livedo racemosa, 118
Liver extract therapy in pellagra, 400
Loewenthal, L. J. A.: New cutaneous manifestation in syndrome of vitamin A deficiency, *700
Loomis, E. C.: Excretion of bismuth in series of clinical bismuth treatments, *615
Lord, L. W.: Anterior lobe pituitary extract in treatment of alopecia, *381
Oil of cadeberry; little known drug that is valuable in certain dermatoses, *29
Lotio sulphurata, formula for, *709
sulphurata quantitative estimates of hydrogen sulphide in lotions used in treatment of acne, *847
Loveman, A. B.: Unusual dermatosis following section of fifth cranial nerve, *369
Luetin Test: See under Syphilis
Lungs, syphilis of, 84
Lupoid of Boeck, 744
Lupus: See also Tuberculosis
culture of tubercle bacilli from lupus lesions of patients under Gerson-Hermannsdorfer-Sauerbruch diet, 410
disseminated miliary lupus, 409
erythematosus, 144
erythematosus, acute, 76
erythematosus, acute, disseminated, 5 fatal cases, 238
erythematosus, acute, disseminated, with staphylococcal pyemia in child, 235
erythematosus and probable pulmonary tuberculosis, 293
erythematosus and syphilis, 741
erythematosus, chloesteremia in, 719
erythematosus, clinical forms and therapeusis, 84
erythematosus, demonstration of tubercle bacilli in circulating blood by Lowenstein's method in various forms of tuberculosis of skin, lupus erythematosus and granuloma annulare, 575
Lupus—Continued
erythematosus, demonstration of tubercle bacilli by method of Ramel in, 720
erythematosus, discoid lupus erythematosus, with generalized erythema (disseminated lupus erythematosus or toxic erythema from gold), 601
erythematosus disseminatus, 257, 581, 751
erythematosus, extensive, 120
erythematosus, modification of therapy with gold compounds in lupus erythematosus: preliminary communication, *544
erythematosus of palpebral conjunctiva, 243
erythematosus or dermatitis medicamentosa (gold), 886
erythematosus pemphigoides, 94, 742
erythematosus; radiodermatitis; squamous cell carcinoma, 288
erythematosus, relationship between lupus erythematosus and tuberculosis; critical review based on observations at necropsy, *765
erythematosus, seborrheal type and lichen spinulosus, 135
erythematosus (Usher-Senear type) associated with unusual complications, 911
miliaris and sarcoid in Negro, 455
sarcoma of lupus scar, 235
sarcoma, fatal case, 235
tuberculosus rupioides serpiginosus (ostraceus), 84
vulgaris, 90, 903
vulgaris and carcinoma, 111
vulgaris, nodulo-ulcerative gumma of knee simulating lupus vulgaris, 584
vulgaris or tuberculosis of skin, 253
vulgaris, results of treatment, 116
Lymph Nodes, histologic changes in lymph glands in cancer, 83
aleukemic lymphadenosis cutis, 731
cutaneous changes in aleukemic lymphadenosis, 574
lymphatic participation in human cutaneous phenomena: study of minute lymphatics of living skin, 862
lymphogranuloma inguinale of tongue and cervical glands; report of case, *810
Lymphangioma circumscriptum, 131, 269, 747
Lymphangitis, chronic lymphangitis due to tinea, 448
complicating tinea, 900
Lymphoblastoma, 577, 899
Hodgkin's type, 871
Lymphogranuloma: See also Granuloma
cutaneous allergy and lymphogranulomatous antigens, *32
etiology of Hodgkin's disease, 81
inguinale, 292, 590, 591
inguinale and seronegative primary syphilis, 590
inguinale: anorectal syndrome, 259
inguinale; esthiomene, 589
inguinale, extragenital infection with virus of lymphogranuloma inguinale, *376
inguinale, increased frequency and its treatment, 241
inguinale infection of monkeys, 242
inguinale, intradermal treatment, preliminary report, *42
inguinale, lymphopathia venerea, 79
inguinale of tongue and cervical glands, report of case, *810
inguinale, spontaneous recovery, 589
venerea, 711

MacKee, G. M.: Dermatitis artefacta, 96, 145, 603
lichen planus, 142
Madden, J. F.: Adenoma sebaceum, 263
Argyria, 264
Carcinoma of penis, 265
Epithelioma beginning at age of 14, 264
Nodulo-ulcerative tertiary syphilis of legs, 265
Pityriasis lichenoides chronica, 262
Pyodermia, 263
Magnesium, rôle of sodium, potassium, calcium and magnesium in cancer, 711

Malaria therapy, effect on neurosyphilis (possibility of demonstrating effectiveness of treatment by means of epinephrine probe test), 865
therapy neurosyphilis, 861
therapy neurosyphilis with herpes virus and of malaria with nonspecific protein, 721
Maloney, E. R.: Lichen nitidus, 94
Lupus erythematosus pemphigoides, 742
Markowitz, M.: Alopecia congenitalis hereditaria verticis, 587
Lymphoangioma circumscriptum, 131
Matches, dermatitis venenata due to matches, 594
Melanocarcinoma, 444
Melanoderma: See Pigmentation
Melanoma of scalp, 399
Mella, S. E.: Granuloma inguinale, 418
Pseudoxanthoma elasticum, 419
Mercuric sulphide, colloidal mercuric sulphide: clinical study, *475
Mercury, interstitial keratitis first appearing after mercurial inunctions, 136
Metasyphilis: See Syphilis, congenital
Michelson, H. E.: Aleukemic lymphadenosis cutis, 731
Anorectal syphiloma or tuberculosis colliquativa, 746
Arsenical dermatitis and secondary syphilis, 267
Carcinoma of male breast, 748
Case for diagnosis (acrodermatitis continua, pustular psoriasis [Hallopeau]), 266
Gummas, 745
Kraurosis vulvae, 748
Lupoid of Boeck, 744
Nodular syphilis; sarcoid, 745
Papular necrotic tuberculid, 745
Mikulicz' disease, 288
Milia, calcified milia, 597
Milk, effect of heat on antigenic properties of milk, 76
Wassermann reaction of human milk, 87
Miller, T. H.: Secondary syphilid recurring under treatment, 285
Mitchell, J. H.: Anal dermatitis due to resorcinol in anusol suppositories: 2 cases of positive patch tests with anusol suppositories and with resorcinol, 737
Case for diagnosis, 732
Lichen planus, 247, 725
Superficial epithelioma, basosquamous type, 252
Telangiectasia due to roentgen therapy, fibrosis of chest and possible malignancy of right mammary gland, 729
Molds: See Fungus
Moles: See Nevus
Molesworth, E. H.: Cancer of lip, 228
Monahan, E. P.: Pityriasis rubra of Hebra, 417
Monilia albicans infection of skin, *532
Moniliasis, 124, 744
mouth, 602, 749, 880
mouth, fingers and face, 749
Morphea: See also Scleroderma
Morphea, 747, 885
guttata, 138
scleroderma (diffusum, associated with morphea), 273
Mouth diseases: periadenitis mucosa necrotica recurrens, 867
monilia infection of, 602, 749, 880
Mucous Membranes, prognostic significance of presence of involvement of mucous membranes in pemphigus, 240
Vincent's infection of, 300
Mycetorula, onychomycosis due to, 864
Mycosis: See also Actinomycosis; Blastomycosis
bacterial pseudomycoses, 572
fungi in superficial mycoses in children, 244
fungicidal action of some common disinfectants, *15; correction, 761
fungoides, 86, 121, 415, 446; correction to article on p. 446, 761, 877, 901
fungoides, case for diagnosis, 104, 455
fungoides; parapsoriasis, 421
Mycosis—Continued
fungoides with involvement of brain and cranial nerves, 242
late syphilid simulating dermatophytosis, 290
psoriasis or acrodermatitis continua suppurativa (Hallopeau), 888
vitiligo: clinical and histologic study with consideration of pinta, *497
Myers, W. A.: Tuberculid, 428
Myxedema, circumscribed myxedema associated with hyperthyroidism, 237

Nails, anatomy of, 408
nature of transverse mark in nails in arsenical polyneuritis, 722
onychogryphosis: report of unusual case, *807
onychomadesis due to acute lichen planus, 133
onychomycosis, 888
onychomycosis due to Mycetorula, 864
pigment in nails during hyperthyroidism, 232
subungual exostosis, 585
Necrobiosis lipoidica, pathogenesis of necrobiosis lipoidica diabeticorum Urbach-Oppenheim, 572
Neoarsphenamine: See Arsphenamine
Nerve, dermatosis following section of fifth cranial nerve, *369
Nervous System, Syphilis: See Syphilis
Netherton, E. W.: Relapsing nodular nonsuppurative panniculitis, 258
Scleroderma with atrophy, 592
Neuraxitis: See Encephalitis
Neuritis, multiple: nature of transverse mark in nails in arsenical polyneuritis, 722
Neurodermatitis, erythema caloricum associated with remote reaction to heat (neurodermatitis and dyshidrosis); heat allergy, *168
or irritant dermatitis? 80
Neurofibromatosis (Recklinghausen's disease), 251, 424
characteristics ("charakterbild") of patients with neurofibromatosis, 574
Neurosis, neurotic excoriations? 261
Neurosyphilis: See Syphilis
Nevus, blue: See Angioma
case for diagnosis (pigmentation of neck; nodular nevoid lesions of thigh), 739
flammeus, case of naevus flammeus of face associated with glaucoma, 406
flammeus et varicosus; hemihypertrophy, 752
linearis, 579, 582
lymphangiomatosus, 144
multiple, 755
pigmented nevi in epidermis of ovarian dermoids, 86
pigmentosus et papillomatosus with underlying inflammation, 748
sebaceus, 292
sebaceus of face, 718
syringocystadenomatosus papilliferus (Werther), 865
New-Born: See Infant, New-Born
Nickel eczema, *688
inherent sensitivity of skin to nickel and cobalt (allied elements in group VIII, periodic system), 400
"914," calcium thiosulphate in treatment of complications of "914" and bismuth administration in syphilis, 403
Nicolas-Favre's Disease: See Lymphogranuloma inguinale
Nirvanol sickness and chemical allergy, 567
Nitritoid crisis following injection of antistreptococcus vaccine, 404
Nodes: nodull cutanei, 880
Nomland, R.: Lichen planus, 247
Macular atrophy, 101
Mycosis fungoides, 104
Prurigo nodularis, 728
Sarcoid, 103
Superficial epithelioma, basosquamous type, 252
Nupercaine, dermatitis due to, 860
Nuts, aphthous ulcers caused by nuts (black walnuts), 427

Obermayer, M. E.: Ecthyma due to Streptococcus haemolyticus, 102

OBITUARIES:
Bathurst, William R., 859
Lord, Jere Williams, 74

Occupational Diseases: See Industrial diseases
Oidium albicans, rare form of oidium albicans infection of tongue, 240
Oils, relation of carcinogenicity of mineral oils to certain physical and chemical characteristics of these oils, 714
Oliver, E. A.: Cutis verticis gyrata and acromegaly, 726
Lichen obtusus corneus, 727
Poikiloderma or idiopathic atrophy with poikiloderma-like changes, 438
Oliver, E. L.: Gumma of finger, 281
Lichen planus with vesicles, 280
Ocular pemphigus, 279
Onychia; Onychogryphosis; Onychomycosis: See under Nails
Oriental Sore: See Leishmaniasis
Ormsby, O. S.: Bullous dermatitis (pemphigus?), 246
Oulmann, L.: Poikiloderma atrophicans vascularis, 885
Syphilis, with disappearance of meningeal symptoms after appearance of multiple gummas, 433
Ovary, pigmented nevi in epidermis of ovarian dermoids, 86
Oviedo y Valdes, 1478-1557, skin diseases in new world from Oviedo y Valdes, 1478-1557, *22

Pace, E. R.: Macular atrophy, 443
Psoriasis appearing at age of 82 years, 443
Pakula, S. F.: Erythrodermia; congenital, ichthyosiform, of hystrix type, 429
Panniculitis, relapsing nodular nonsuppurative panniculitis, 258
Paraffinoma (foreign body tumor), 872
Parapsoriasis, 89, 235, 456
acuta, so-called parapsoriasis acuta (pityriasis lichenoides et varioliformis acuta), 865
clinical variants of familiar diseases of skin, *190
lichenoides, rare cases presenting progressive idiopathic atrophy of skin simultaneously with cancer of skin, scrofuloderma and parapsoriasis lichenoides, 409
or congenital syphilis, 277
or mycosis fungoides, 421
or pityriasis rosea, 282
or psoriasis, 883
varioliformis, 268, 451
Pardo-Castello, V.: Chancroid; its prevalence; its treatment with specific vaccines, *155
Skin diseases in the new world from Oviedo y Valdes, 1478-1557, *22
Parounagian, M. B.: Extensive lupus erythematosus, 120
Leukoderma syphiliticum, generalized, 122
Nodular syphilid with periostitis of both tibiae, 123
Pascher, F.: Ragweed dermatitis; report of 2 cases, *223
Paul, S. B.: Calcification of skin and subcutaneous tissues (calcinosis), *510
Peck, S.: Erythrodermia psoriatica (universal psoriasis), 874
Pellagra, 301
chemical nature of toxin which causes pellagra and discovery of thiosulphate treatment of pellagra, 407
chemical peculiarity of pellagra blood (rapid iodin decolorization), 860
erythrocytes in, 399
investigation of, 723
parenteral liver extract therapy in, 400
Pemphigus, 270, 276, 420
gravidarum and diabetes insipidus, 407
malignant, 76
ocular, 279
of Senear-Usher type, 578
or bullous dermatitis, 246
Pemphigus—Continued
prognostic significance of presence of involvement of mucous membranes in pemphigus, 240
vegetans, 416
vulgaris and foliaceus, 907
vulgaris of 4 years' duration apparently cured, 427
vulgaris with extensive pigmentation in Negress, 740
Penis, carcinoma of, 265
recurrent bullous eruption due to phenolphthalein, 588
Pentz, W. R.: Vital reactions of pulp of teeth in syphilis produced by induced currents; preliminary report of 110 cases, *163
Periadenitis mucosa necrotica recurrens, 867
Perifolliculitis capitis, dissecting cellulitis of scalp (perifolliculitis capitis abscedens et Suffodiens-Hoffmann), 261
Periostitis, nodular syphilid with periostitis of both tibiae, 123
Periphlebitis nodularis necroticans, 890
Peristein, M. O.: Intradermal treatment of lymphogranuloma inguinale; preliminary report, *42
Macular atrophy, 445
Onychogryphosis: report of an unusual case, *807
Poikiloderma atrophicans vasculare, 735
Sarcoid, 103
Tuberculosis of skin: lupus vulgaris, 253
Perspiration: See under Sweat and Sweat Glands
Petrolatum, ultraviolet irradiated petrolatum, 77
Phenolphthalein eruption, 758
eruption, clinical variants of familiar diseases of skin, *190
intoxication, 861
recurrent bullous eruption on penis and scrotum due to, 588
Phlebotomus, peculiar dermatitis caused by bite of phlebotomus; occurrence of phlebotomus in Hungary, 242
Pickett, W. J.: Experimental alopecia; contribution to study of alopecia areata, *53
Pigmentation, case for diagnosis (pigmentation of neck; nodular nevoid lesions of thigh), 739
due to bismuth, 412
hereditary canities and vitiligo, *697
Schamberg's progressive pigmentary dermatitis, 255
unusual, of skin, 123
yellow pigmentation of skin accompanying carotenemia, 410
Pillsbury, D. M.: Hemangioma, 755
Scleroderma, 753
Scleroderma with pigmentation; Addison's disease, 754
Pinta: See under Mycosis
Pituitary body, basophilic adenoma of pituitary (pituitary basophilism-Cushing syndrome), 79
Pituitary extract, anterior lobe pituitary extract in treatment of alopecia, *381
Pityriasis lichenoides chronica, 106, 252, 303
lichenoides et varioliformis acuta (so-called parapsoriasis acuta), 865
rosea; account of suggested contagiousness and of attempted experimental transmission, *13
rosea, clinical variants of familiar diseases of skin, *190
rosea in a Negro, 127
rosea-like form of lichen planus, 884
rosea or parapsoriasis, 282
rosea; report of case showing gigantic herald plaque with unusual manifestations, *823
rosea; report of case with lesions of palms and soles, 236
rosea, toxic erythema? poikiloderma atrophicans, 884
rubra of Hebra, 417
rubra pilaris, 743, 881
rubra pilaris and tertiary syphilis, 121
rubra pilaris in man with latent syphilis, 450

Pityriasis—Continued
so-called pityriasis lichenoides et varioliformis acuta, 406
versicolor, depigmenting, 241
Pityrosporon of Malassez, *855
Plenk, Joseph Jacob Plenk, *193
Plunkett, O. A.: Sporotrichotic chancre, *61
Poikiloderma atrophicans, 884
atrophicans vascularis, 735, 885
or idiopathic atrophy with poikiloderma-like changes, 438
Poison Ivy: See Rhus toxicodendrom
Polyneuritis: See Neuritis, multiple
Porokeratosis mibelli, peculiar case of porokeratosis Mibelli with corneomas, 572
Porrigo amiantacea, 746
Postgraduate course in dermatology, 73
Potassium, rôle of sodium, potassium, calcium and magnesium in cancer, 711
Proteose, specificity of urinary proteose, 403
treatment of diseases of skin, 403
Prurigo, case of prurigo-like eruption, 95
eczema-prurigo, 406
nodularis, 728
treatment of prurigo-strophulus by intradermal injections of Witte's peptone, 239
Pseudomycosis: See Mycosis
Pseudoscleroderma, idiopathic atrophy, pseudoscleroderma, with secondary epithelioma, 105
Pseudoxanthoma elasticum, 419
elasticum and angioid steaks: disease syndrome with comments on literature and report of case, *546
Psoriasis, 270, 883
alopecia, hypertrichosis, and endocrine dysfunction, 896
and arthropathia psoriatica, 574
and lichen planus, 888
appearing at age of 82 years, 443
atypical, 290
case for diagnosis (acrodermatitis continua, pusular psoriasis [Hallopeau]), 266
chemical investigation, 719
dermatophytosis or acrodermatitis continua suppurativa (Hallopeau), 888
favorable influence of exfoliative dermatitis complicating psoriasis, 717
in full-blooded Negro, 870
localized on fingers, 751
of mucous membranes; report of 2 cases with review of literature, *488
or tuberculosis verrucosa cutis, 883
postarsphenamine, 718
pustular, 116, *682
pustular, (acrodermatite continué of Hallopeau), 288
pustular, of extremities, 239
treatment with injections of scales suspended in alcohol, 864
treatment with soda baths, 720
universal psoriatica, 874
uric acid and gout, 720
vulgaris, allergic nature, 574
Purpura annularis telangiectodes, report of case with autopsy, *384
postarsphenamine nitritoid crisis and purpura, 718
unusual case, 719
Pyemia, acute disseminated lupus erythematosus with staphylococcal pyemia in child, 235
Pyodermia, 263

Radiodermatitis, 117, 136
case for diagnosis (lichen planus: radiodermatitis: acrodermatitis atrophicans), 740
Grenz ray therapy in dermatology, 240
lupus erythematosus; squamous cell carcinoma, 288
Radiotherapy, Treatment by method rather than diagnosis [editorial], 397
Radium: See Radiodermatitis; and under names of diseases
Ragweed dermatitis, report of 2 cases, *223
Raiziss, G. W.: Therapeutic efficiency of bismarsen in experimental syphilis in rabbits; comparison with arsphenamine, *389
Rattner, H.: Clinical variants of familiar diseases of skin; phenolphthalein eruption; pityriasis rosea; lichen planus; parapsoriasis, *190
Drug eruption; reaction to bismuth and gold salts, report of case, *820
Rauschkolb, J. E.: Excretion of bismuth in series of clinical bismuth treatments, *615
Raynaud's disease, 79
in 8 year old child, 718
Recklinghausen's Disease: See Neurofibromatosis
Resorcinol, anal dermatitis due to resorcinol in anusol suppositories: 2 cases of positive patch tests with anusol suppositories and with resorcinol, 737
Reticuloendothelial "blockade" and splenectomy, effect on experimental trypanosomiasis and syphilis and chemotherapeutic properties of arsphenamine and neoarsphenamine, 568
Rheumatoid cutaneous conditions, demonstration of tubercle bacilli by method of Ramel in, 720
Rhinopharyngitis mutilans or leishmaniosis, 423
Rhus toxicodendron, new method of immunization, 862
Ringworm, effect of chlorinated swimming-pool water on fungi of toe ringworm, 568
funguses, studies with reference to public health problems, 77
of toes in students and dispensary patients, 715
Ritter's Disease: See Dermatitis exfoliativa infantum
Robinson, H. M.: Blastomycetic dermatitis by lymphatic extension, *219
Robinson, L. B.: Favus, 876
Iododerma, 109
Periphlebitis nodularis necroticans, 890
Robinson, S. S.: Case for diagnosis, 910
Roentgen Rays: See also Radiodermatitis; and under names of diseases
dermatitis treated with salt-free diet and vitamin-A rich regimen, 880
million volt x-ray, 399
Ronchese, F.: Transitory baldness of peculiar type following trauma, *639
Rosacea of cornea and keratitis, 294
Rosen, I.: Leukokeratosis of tongue and leukoplakia of buccal mucosa, 435
Rosenthal, T.: Lymphogranuloma inguinale, 292
Rubber, contact eczema; rubber cements as adhesive in patch testing, *795
dermatitis of eyelids due to rubber on eyelash curler, *222
Rulison, R. H.: Tuberculosis, syphilis or an eruption due to drug, 9, 595
Rusk, G. Y.: Calcification of skin and subcutaneous tissues (calcinosis), *510
Russell, E. R.: Presence of arsenic in bismuth preparations, *841

Sala, A. M.: Bismuth compounds in active syphilis; clinical and laboratory study of 286 cases of cutaneous syphilis, *320
Sarcoid, 103, 129, 733
and lupus miliaris faciei in Negro, 455
lichenoid sarcoid (Boeck): report of case with review of literature, 715
or nodular syphilis, 745
or syphilid, 430
Sarcoma, idiopathic multiple hemorrhagic, 877
Kaposi, 112, 143, 283
Kaposi's hemorrhagic, 906
lupus sarcoma, fatal case, 235
melanotic, 750
on lupus scar, 235
pigmented, neurogenic, 734
Satenstein, D. L.: Erythrodermia, 125
Erythroplasia of Queyrat, *798
Furunculosis, 126
Moniliasis, 124
Saunders, H.: Lymphangioma circumscriptum, 269
Sayer, A.: Keratosis palmaris et plantaris, 289
Scalp, acne necrotica miliaris of scalp, *10
cutis verticis gyrata and acromegaly, 726

Scalp—Continued
extensive congenital cutaneous defect of scalp, 408
gumma (multiple), 897
melanoma of scalp, 399
multiple benign epithelioma of, 711
Scar: See Cicatrix
Scarlet fever, 719
nontypical cases of exanthem due to scarlet fever, 86
Scarpellino, L.: Leishmaniosis or rhinopharyngitis mutilans, 423
Schamberg, J. F.: Subungual exostosis, 585
Schamberg's progressive pigmentary dermatitis, 255, 734
Schaul, O. D.: Adenoma sebaceum, 583
Scheer, M.: Acanthosis nigricans, 118, 869
Dermatitis herpetiformis, 123
Gumma, 873
Pityriasis rosea-like form of lichen planus, 884
Pityriasis rosea? toxic erythema? poikiloderma atrophicans, 884
Pityriasis rubra pilaris and tertiary syphilis, 121
Schiller, A. E.: Pityriasis rosea in a Negro, 127
Schmitt, C. L.: Hereditary canities and vitiligo, *697
Schoff, C. E.: Case for diagnosis, 868
Erythema multiforme bullosum, 92
Schorr, H. C.: Lichen sclerosis et atrophicus (Hallopeau), 440
Schwartz, H. J.: Discoid lupus erythematous, with generalized erythema (disseminated lupus erythematosus or toxic erythema from gold), 601
Linear scleroderma, 739
Morphea guttata, 138
Parapsoriasis, 456
Radiodermatitis, 136
Sclerema: See Scleroderma
Scleroderma, 753, 890
changes of musculature in diffuse scleroderma of upper extremity, amputated on account of bullous gangrenous erysipelas, 406
diffuse, associated with morphea, 273
following erysipelas, 417
generalized, 302
linear, 739
linear, with hemiatrophy of face, 583
neonatorum, 78
pathogenesis of, 722
serpiginous, 113
with atrophy, 592
with pigmentation; Addison's disease, 754
Scleropoikiloderma, 866
Sclerosis, tuberous, 860
Scrofuloderma: See Tuberculosis, Skin
Scrotum, recurrent bullous eruption on penis and scrotum due to phenolphthalein, 588
Scull, R.: Prurigo nodularis, 728
Sebaceous glands; serocystomatosis, 721
Secretions, Internal: See Endocrine Glands
Senear, F. E.: Dermatofibrosarcoma of Darier, 256
Mycosis fungoides, 446; correction, 761
Sarcoid, 103
Schamberg's disease, 734
Severac, M.: Therapeutic efficiency of bismarsen in experimental syphilis in rabbits; comparison with arsphenamine, *389
Shaffer, L. W.: Multiple gummas, 578
Papulonecrotic tuberculid, 577
Tuberculosis verrucosa cutis, 576
Shaw, H. C.: Erythema centrifugum annulare of Darier, 260
Excretion of bismuth in series of clinical bismuth treatments, *615
Shelmire, B.: Contact eczema: rubber cements as adhesive in patch testing, *795
Sidlick, D. M.: Fibroma of eyelid, 130
Sarcoid, 129
Silver, H.: Nevus sebaceus, 292
Noduli cutanei, 880
Silver: argyria, 264
argyria from use of colloidal silver iodide intranasally, 567
Silvers, S. H.: Hydrogen ion concentration of topical preparations commonly employed in dermatology, *149
Lichen planus atrophicus and lichen planus in scar, 903
Lichen scrofulosorum, 893
Lichen scrofulosorum and papulonecrotic tuberculid, 892
Lupus vulgaris, 903
Tuberculosis cutis appearing in skin graft, 894
Skin, absorption; experimental investigations of increase and decrease of, 575
atrophy, 248
atrophy; further report on case of idiopathic atrophy of skin in patient shown in December, 1932, 256
clinical variants of familiar diseases of skin: phenolphthalein eruption; pityriasis rosea; lichen planus; parapsoriasis, *190
diseases in new world from Oviedo y Valdes, 1478-1557, *22
diseases, proteose in treatment of, 403
diseases, relation to internal secretions, 232
diseases, results of intradermal tests in certain dermatoses and therapeutic effect of intradermal vaccines, 236
functions of skin and their disturbances, 866
graft, tuberculosis cutis appearing in, 894
inherent sensitivity of skin to nickel and cobalt (allied elements in group VIII, periodic system), 400
measurement of consistency of skin in various conditions, 574
noduli cutanei, 880
self-sterilizing powers of skin: are they endowed by surface acid? *526
sensitization tests, fallacies and merits of, 80
yeastlike fungi found on skin and in intestines of normal subjects; survey of 100 persons, *532
Smallpox vaccination; vaccinia, 287
vaccination; vaccinia of eyelids and conjunctiva, 77
Smith, H. J.: Multiple nevi, 755
Smith, L. M.: Coccidioidal granuloma; report of case originating in western Texas, *175
Societies, foreign, directory of, 146, 306, 458, 606, 762, 916
local, directory of, 147, 307, 459, 607, 763, 917
national, directory of, 146, 306, 458, 606, 762, 916
sectional, directory of, 146, 306, 458, 606, 763, 916
state, directory of, 147, 307, 459, 607, 762, 917
Society Transactions:
Bronx Dermatological Society, 289
Chicago Dermatological Society, 101, 246, 436, 725
Cleveland Dermatological Society, 257, 589, 912
Dermatological Conference of Mississippi Valley, 415
Detroit Dermatological Society, 127, 284, 576
Los Angeles Dermatological Society, 412, 904
Manhattan Dermatologic Society, 118, 431, 579
Minnesota Dermatological Society, 262, 744
New England Dermatological Society, 277, 749
New York Academy of Medicine, Section of Dermatology and Syphilis, 106, 268, 869
New York Dermatological Society, 93, 136, 447, 595, 738
Philadelphia Dermatological Society, 129, 293, 582, 753
Pittsburgh Dermatological Society, 287
San Francisco Dermatological Association, 88, 867
Sodium, rôle of sodium, potassium, calcium and magnesium in cancer, 711
Solganol, eruption due to, 402
Sollmann, T.: Excretion of bismuth in series of clinical bismuth treatments, *615
Spectroscopy, clinical spectroscopy: study of biopsy material taken from patients receiving gold sodium thiosulphate, *790
Spiegel, L.: Eczema, 272
Parapsoriasis varioliformis, 268

Spinner, G.: Late syphilid simulating dermatophytosis, 290
Spirochaeta Pallida carriers, 568
certain unsolved aspects of syphilitic infection specially referring to possible existence of Spirochaeta pallida carriers, 568
generalization of syphilitic virus in experimental superinfection, 574
in "dry smears," 405
isolation from lesion of gastric syphilis, 79
reaction of Spirocheta pallida, recurrentis and Trypanosoma equiperdum to arsenobenzol preparations, 713
Spirochetes in brain and internal organs of syphilitic rats, 724
syphilis of stomach, with reference to significance of spirochetes, 571
syphilitic keratitis in rabbits produced by bulbar subconjunctival inoculation with spirochetes and distribution of spirochetes in tissue, 724
Spirochetoses, immunologic study of spirochetoses; cutaneous inoculation with frambesia or syphilis followed by intravenous reinoculation with syphilis or frambesia, respectively, 244
sporotrichotic chancre, *61
Sprue: See Thrush
Staphylococcus, pleomorphic organism showing relationships between staphylococci and actinomycetes, 234
Staud, A. H.: Clinical spectroscopy: study of biopsy material taken from patients receiving gold sodium thiosulphate, *790
Sterilization, self-sterilizing powers of skin: are they endowed by surface acid? *526
Stevens, R. H.: Case for diagnosis, 286
Condyloma acuminatum, 128
Stibbens, F. H.: Dermatitis herpetiformis, 88
Stillians, A. W.: Acuminate condylomas treated by Biberstein vaccine, 105
Further report on idiopathic atrophy of skin in patient shown at December, 1932, meeting, 256
Idiopathic atrophy, pseudoscleroderma, with secondary epithelioma, 105
Report on case previously presented, 731
Tularemia, 250
Stokes, J. H.: Tuberculosis, 756, 757
Stokes, J. H., Jr.: Linear scleroderma with hemiatrophy of face, 583
Stomach, isolation of Spirochaeta pallida from lesion of gastric syphilis, 79
syphilis of stomach with reference to significance of spirochetes, 571
tubercle bacilli in gastric lavage from 100 consecutive cases of erythema nodosum, 411
Stomatitis, 85
Stookey, P. F.: Leishmaniosis; rhinopharyngitis mutilans, 423
Parapsoriasis; mycosis fungoides, 421
Tuberculid en plaque, 420
Strauss, A.: Case for diagnosis, 134
Streptococcus haemolyticus, ecthyma due to, 102
vaccine, nitritoid crises following injection of antistreptococcus vaccine, 404
Striae distensae, hypertrophic, *825
Strickler, A.: Fungicidal properties of certain clinically recognized fungicides; laboratory determinations using the Strickler-Borneman apparatus and the Henal vacuum vaporizer, *836
Strickler-Borneman apparatus, fungicidal properties of certain clinically recognized fungicides; laboratory determinations using the Strickler-Borneman apparatus and the Henal vacuum vaporizer, *836
Strousse, J. L.: Onychomadesis due to acute lichen planus, 133
Sulzberger, M. B.: Drug eruptions; dermatitis eczematosa due to drugs, *461
Erythroplasia of Queyrat, *798
Ragweed dermatitis; report of 2 cases, *223
Sutton, R. L.: Granuloma inguinale, 418
Pseudoxanthoma elasticum, 419
Swartz, J. H.: Parapsoriasis or congenital syphilis, 277
Sweat and Sweat Glands; erythema calorieum associated with remote reaction to heat (neurodermatitis and dyshidrosis); heat allergy, *168
hidradenitis axillaris, radiation therapy of, 721
hidrosadenitis axillaris of Verneuil, *609
nervous disturbances in "epidemic miliariform exanthem or miliary sweating" in children, 82
Sweitzer, S. E.: Lichen nitidus, 266
Lymphangioma circumscriptum, 747
Morphea, 747
Nevus pigmentosus et papillomatosus with underlying inflammation, 748
Porrigo amiantacea, 746
Swimming pool water, effect of chlorinated swimming pool water on fungi of toe ringworm, 568
Syphilid, anorectal syphiloma or tuberculosis colliquativa, 746
late syphilid simulating dermatophytosis, 290
nodular syphilid with periostitis of both tibiae, 123
or sarcoid, 430
secondary syphilid recurring under treatment, 285
tertiary syphiloderm; glandular tuberculosis, 912
Syphilis, amyotrophy due to, 78
cardiovascular, bismuth in, 80
cardiovascular, effect of specific treatment on prognosis, *1
cardiovascular, in boy, 81
certain unsolved aspects of syphilitic infection specially referring to possible existence of Spirochaeta pallida carriers, 568
congenital, 76, 247
congenital, and disseminated condensing bone centers and congenital syphilis, 405
congenital, in bones, stigmas of, 85
congenital, late, with extensive scarring and exophthalmos, 742
congenital, latent, diagnosis of, 866
congenital, or parapsoriasis, 277
control, some practical problems, 231
development of congenital syphilitic children and healthy children of syphilitic mothers, 406
electrocardiographic finding in primary and in very early secondary syphilis, 232
experimental, attempted immunization of rabbits against, *843
experimental, contact infection of rabbits in, 569
experimental, hot baths in, 229
experimental, in rats: reinoculation of syphilitic rats, 245
experimental, in rats; spirochete content of internal organs of syphilitic rats, 245
experimental, reaction of standard breeds of rabbits to, 714
experimental superinfection, generalization of syphilitic virus in, 574
experiments demonstrating that acquired immunity in syphilis is not dependent upon allergic inflammation, 78
extragenital syphilitic infections of 6 members of 1 family, 409
frequency in diseases of digestive system, 83
hereditary, cerebrospinal, 422
immunologic study of spirochetoses; cutaneous inoculation with frambesia or syphilis followed by intravenous reinoculation with syphilis or frambesia, respectively, 244
influence of reticuloendothelial "blockade" and splenectomy upon experimental trypanosomiasis and syphilis and chemotherapeutic properties of arsphenamine and neoarsphenamine, 568
iron reaction in paretic neurosyphilis, 713
multiple telangiectases (macular) associated with syphilis, 295
nephrosis due to, 84
nitritoid crisis due to bismuth, report of case, *780
nodular syphilis or sarcoid, 745
nodulo-ulcerative tertiary syphilis of legs, 265
peripheral vascular disease due to, 712

Syphilis—Continued
pityriasis rubra pilaris in man with latent syphilis, 450
productive-cicatricial syphilitic disease of pulmonary artery, 400
latent, and inoculation of lymph glands, 721
latent; granuloma inguinale; latent syphilis; gonorrheal urethritis, 912
luetin reaction, diagnostic value of, *353
luetin reaction, effect of iodides on organic luetin reaction, *153
lungs, 84
lupus erythematosus and syphilis, 741
malaria therapy, effect of malarial treatment on neurosyphilis (possibility of demonstrating effectiveness of treatment by means of epinephrine probe test), 865
malaria treatment of neurosyphilis, 861
prognosis of negative reactions of spinal fluid in syphilis, 84
reinfection, unusual cases, 242
rupioid syphilis, 440
secondary, and arsenical dermatitis, 267
serodiagnosis; standardization of complement fixation test, 570
seronegative primary syphilis and lymphogranuloma inguinale, 590
spirochete content of brain and internal organs of syphilitic rats, 724
stomach, with reference to significance of spirochetes, 571
tabetic syndrome: trophic disturbances; plantar perforating lesions; analgesic pseudowhitlows of fingers in girl 6 years old; hereditary syphilis, 82
tertiary, 742
tertiary active syphilis in men and women according to records of government venereal institute at Moscow, 243
tertiary, and pityriasis rubra pilaris, 121
transmission by transfusion, 568
Treatment: See also Arsphenamine; Bismuth; etc.
treatment; bismarsen in experimental syphilis in rabbits; efficiency compared with arsphenamine, *389
treatment; bismuth compounds in active syphilis; clinical and laboratory study of 286 cases of cutaneous syphilis, *320
treatment; brief review, fever therapy in neurosyphilis, *309
treatment; chemotherapeutic action of soluble arsphenamine preparation, 864
treatment; colloidal mercuric sulphide; clinical study, *475
treatment; differential effects of arsphenamine and tryparsamide, 231
treatment; excretion of bismuth in series of clinical bismuth treatments, *615
treatment, inadequate, 84
treatment; method to introduce larger amounts of arsphenamines into central nervous system, 712
treatment of neurosyphilis with herpes virus and of malaria with nonspecific protein, 721
treatment of neurosyphilis, review of results in 680 patients, 571
treatment with hyperpyrexia produced by diathermy, 232
tuberculosis or eruption due to drug?, 595
ulcer of leg; localization as point of differential diagnosis in syphilis and yaws endemic countries, *44
ulcers of leg due to, 78
vascular permeability of, 569
vital reactions of pulp of teeth in syphilis produced by induced currents, *163
Wassermann reaction in untreated syphilis, 713
with disappearance of meningeal symptoms after appearance of multiple gummas, 433
Syphiloderm: See Syphilid
Syphiloma: See Gumma
Syringoma, 889
of chest and abdomen, 599
Syringomyelia in child 22 months old, 420

Tabes, tabetic syndrome; trophic disturbances; plantar perforating lesions; analgesic pseudowhitlows of fingers in girl of 6; hereditary syphilis, 82
Tannenholz, H.: Erythema caloricum associated with remote reaction to heat (neurodermatitis and dyshidrosis); heat allergy, *168
Tar, Cancer due to: See under Cancer
Teeth, vital reactions of pulp of teeth in syphilis produced by induced currents, report of 110 cases, *163
Telangiectases associated with chronic cardiac disease, 299
due to roentgen therapy, fibrosis of chest and possible malignancy of right mammary gland, 729
haemorrhagica hereditaria (Osler), 866
multiple telangiectases (macular) associated with syphilis, 295
of sides of neck in a woman, 580
Templeton, H. J.: Case for diagnosis, 88
Effect of iodides on organic luetin reaction, *153
Granuloma of gum, 91
Parapsoriasis, 89
Testis, penile lesion associated with tuberculosis of testis, 447
Thallium acetate, intoxication from thallium acetate (encephalitis) with recovery, 913
epilation, modification of, 241
histologic lesions of central nervous system following experimental intoxication with thallium, 239
thallotoxicosis outbreak, 1932, in California, 860
Thrombo-angiitis obliterans, advances in diagnosis and treatment, 570
obliterans, peripheral vasoconstriction by tobacco and its relation to thrombo-angiitis obliterans, 571
Throne, B.: Erythema annulare centrifugum, 452
Thyroid, circumscribed myxedema associated with hyperthyroidism, 237
pigment in nails during hyperthyroidism, 232
Tic as result of muscular gumma, 865
douloureux, unusual dermatosis following section of fifth cranial nerve, *369
Tinea, chronic lymphangitis due to tinea, 448
lymphangitis complicating tinea, 900
Tobacco, peripheral vasoconstriction by tobacco and its relation to thrombo-angiitis obliterans, 571
Tolmach, J. A.: Epidermophytids and trichophytin reaction, *560
Purpura annularis telangiectodes; report of case with autopsy, *384
Tolman, M. M.: Erythema induratum; diabetes mellitus, 282
Erythema multiforme dermatitis factitia; acquired epidermolysis bullosa, 281
Tongue, bismuth pigmentation of buccal mucosa; healed carcinoma and gumma of tongue, 588
gummas of tongue, with beginning malignancy, 91
leukokeratosis of tongue and leukoplakia of buccal mucosa, 435
lymphogranuloma inguinale of tongue and cervical glands; report of case, *810
Oidium albicans infection of tongue, rare form of, 240
tuberculous laryngitis with tuberculoma of tongue (tuberculous fissure), 132
Tonsils, syphilis; extragenital syphilitic infections of 6 members of 1 family, 409
Traub, E. F.: Blue nevus, 599
Calcified milia, 597
Case for diagnosis, 744
Chronic lymphangitis due to tinea, 448
Dermatitis exfoliativa, 140, 274
Epidermophytids and trichophytin reaction, *560
Foreign body tumor (paraffinoma), 872
Granuloma annulare, 452

Traub, E. F.—Continued
Lichen planus; radiodermatitis; acrodermatitis atrophicans, 740
Lupus erythematosus, 144
Lupus erythematosus pemphigoides, 94
Lymphangitis complicating tinea 900
Monilia infection of mouth, 602, 880
Moniliasis, 744
Multiple angioma (blue nevus), 113
Parapsoriasis varioliformis, 451
Radiodermatitis, 117
Xanthoma tuberosum multiplex, 603
Treatment by method rather than diagnosis, [W. A. P.] 397
Treponema Pallidum: See Spirochaeta Pallida
Trichophytin reaction and epidermophytids, *560
Trophedema of Meige-Milroy, 719
Troxell, E. C.: Case for diagnosis, 128
Trypaflavine, persistent hypersensitivity to light after intravenous injections of trypaflavine, 236
Trypanosoma equiperdum, reaction of Spirocheta pallida, recurrentis and trypanosoma equiperdum to arsenobenzol preparations, 713
Trypanosomiasis, influence of reticuloendothelial "blockade" and splenectomy upon experimental trypanosomiasis and syphilis and chemotherapeutic properties of arsphenamine and neoarsphenamine, 568
Tryparsamide, differential effects of arsphenamine and tryparsamide, 231
transmissibility of tryparsamide-resistance through glossina, 401
Tubercle Bacilli, analysis of Loewenstein's method for isolating tubercle bacilli from blood, 233
attempts to cultivate from blood in tuberculosis of skin by Löwenstein's method, 407
culture by Löwenstein method, *35
culture from lupus lesions of patients under Gerson - Hermannsdorfer - Sauerbruch diet, 410
cultivation from blood in tuberculosis of skin, 407
demonstration by method of Ramel in rheumatoid cutaneous conditions and in lupus erythematosus, 720
demonstration of tubercle bacilli in circulating blood by Lowenstein's method in various forms of tuberculosis of skin, lupus erythematosus and granuloma annulare, 575
occurrence in gastric lavage from 100 consecutive cases of erythema nodosum, 411
Tuberculids: See under Tuberculosis, Skin
Tuberculin patch test, 567
Tuberculoma, tuberculous laryngitis with tuberculoma of tongue (tuberculous fissure), 132
Tuberculosis, Skin, 286
case for diagnosis, 756, 757
colliquativa or anorectal syphiloma, 746
erythema nodosum in primary extrapulmonary tuberculosis, 411
Herrmannsdorfer-Sauerbruch diet in treatment of, 410
Herrmannsdorfer-Sauerbruch-Gerson diet, culture of tubercle bacilli from lupus lesions of patients under Gerson-Hermannsdorfer-Sauerbruch diet, 410
lichen scrofulosum and papulonecrotic tuberculid, 892
miliary tubercles in skin in miliary tuberculosis, 86
or lupus vulgaris, 253
penile lesion associated with tuberculosis of testis, 447
probable pulmonary tuberculosis and lupus erythematosus, 293
rare cases presenting progressive idiopathic atrophy of skin simultaneously with cancer of skin, scrofuloderma and parapsoriasis lichenoides, 409
relationship between lupus erythematosus and tuberculosis, critical review based on autopsy, *765
serum reaction (Wassermann, Kahn and Sachs-Georgi) in, 406
syphilis or eruption due to drug, 595
Tuberculosis, Skin—Continued
tertiary syphiloderm; glandular tuberculosis, 912
tuberculid, 428
tuberculid en plaque, 420
tuberculid or lichen nitidus, 290
tuberculid, papulonecrotic, 577, 745
tuberculid; rosacea-like tuberculid of Lewandowsky, 119
tuberculids, new type; ulcerous tuberculids, 85
tuberculids: papulonecrotic, associated with active tuberculosis, 588
tuberculids; papulonecrotic, associated with erythema induratum and livedo racemosa, 118
tuberculous infection with erythema nodosum, 238
tuberculous laryngitis with tuberculoma of tongue (tuberculous fissure), 132
tuberculous, ulcerating lesion of perianal region, 432
verrucosa cutis, 120, 576
verrucosa cutis or psoriasis, 883
Tularemia, 250, 287
roentgen treatment of primary lesion of tularemia, *557
Tulipan, L.: Lymphangioma circumscriptum, 269
Tumors: See also under Cancer; Sarcoma; etc.

Ulcers, aphthous ulcers caused by nuts (black walnuts), 427
leg; localization as point of differential diagnosis in syphilis and yaws endemic countries, *44
rodent, treatment of, 717
syphilitic leg ulcers, 78
ulcerating lesion of perianal region, 432
unusual dermatosis following section of fifth cranial nerve, *369
Urethritis, granuloma inguinale; latent syphilis; gonorrheal urethritis, 912
Uric Acid and eczema; uricacidemia and renal elimination of uric acid in patients treated with uric acid, 573
psoriasis and gout, 720
Urine, specificity of urinary proteose, 403
Urticaria, allergic character of cold urticaria, 408
factitia, investigations concerning congelation urticaria and urticaria factitia, 241
investigations concerning congelation urticaria and urticaria factitia, 241
papulosa, 131
papulosa with notes of 14 cases with unusual history, 238
pigmentosa beginning in adult, 450
Usher, B.: Psoriasis of mucous membranes; report of 2 cases with review of literature, *488

Vaccines, results of intradermal tests in certain dermatoses and therapeutic effect of intradermal vaccines, 236
Valade, C. K.: Folliculitis decalvans, 286
Van Dyck, D. S.: Dermatitis exfoliativa following injections of gold compound, 108
Hydroa vacciniforme, 890
van Rhee, G.: Case for diagnosis, 284
Varicella: See Chickenpox
Varnish, outbreak of dermatitis in cotton mills due to varnish, 714
Vero, F.: Fox-Fordyce disease, 890
Scleroderma (diffusum, associated with morphea), 273
Tuberculosis verrucosa cutis (?); psoriasis (?), 883
Vincent's Disease: See Angina
Vitamin A deficiency, new cutaneous manifestation in syndrome of vitamin A deficiency, *700
D in treatment of acne vulgaris, 861
Vitiligo and hereditary canities, *697
clinical and histologic study, with consideration of pinta, *497

Vitiligo—Continued
from arsphenamine dermatitis and from arsenic of unknown origin: arsenic findings in blood, urine and skin, *642
grenz ray treatment, 720
leukoderma, 408
leukoderma syphiliticum, generalized, 122
successful treatment, *215

Wakerlin, G. E.: Attempted immunization of rabbits against experimental syphilis, *843
Wallhauser, H. J. F.: Folliculitis ulerythematosa reticulata, 431
Wander, W. G.: Lichen planus, 576
Wassermann Reaction: See also Syphilis of human milk, 87
Waugh, J. F.: Macular atrophy, 101
Mycosis fungoides, 104
Weber, L. F.: Clinical variants of familiar diseases of skin: phenolphthalein eruption; pityriasis rosea; lichen planus; parapsoriasis, *190
Weidman, F. D.: Generalized scleroderma, 302
Granuloma inguinale, 300
Juvenile elastoma, *182
Multiple chancres on lips and genitalia, 302
Pellagra, 301
Telangiectases associated with chronic cardiac disease, 299
Vincent's infection of mucous membrane, 300
Weise, E. C.: Case for diagnosis, 891
West, C. O.: Darier's disease, 420
Pemphigus, 420
White, C. J.: Dermatitis herpetiformis treated with heat therapy, 728
White-Spot Disease: See Morphea guttata
Wieder, L. M.: Malignant erythrodermia, 436
Wien, M. S.: Intradermal treatment of lymphogranuloma inguinale; preliminary report, *42
Macular atrophy (syphilitic?), 445
Onychogryphosis, *807
Tuberculosis of skin: lupus vulgaris? 253
Williams, C. M.: Discussion on epidermophytids and trichophytin reaction, *560
Report on case of elephantiasis of leg, 145
Xanthoma tuberosum multiplex, 603
Wise, F.: Bromoderma, nodular, 744
Case for diagnosis (fibroma with an ecchymotic ring), 892
Wise, F.—Continued
Drug eruptions; dermatitis eczematosa due to drugs, *461
Keloid or hypertrophic scar, 598
Lichen nitidus, 739
Mycosis fungoides, 121
Penile lesion associated with tuberculosis of testis, 447
Pigmentation of neck; nodular nevoid lesions of thigh, 739
Pityriasis rubra pilaris, 743
Pityriasis rubra pilaris in man with latent syphilis, 450
Sarcoid and lupus miliaris faciei in Negro, 455
Syringoma of chest and abdomen, 599
Telangiectases of sides of neck, 580
Tertiary syphilis, 742
Urticaria pigmentosa beginning in adult, 450
Wolf, C.: Dermatitis herpetiformis, 878
Leukemia cutis associated with lymphatic leukemia, 869
Wright, C. S.: Acrodermatitis chronica atrophicans, 759
Adenoma sebaceum 583
Bismuth pigmentation of buccal mucosa; healed carcinoma and gumma of tongue, 588
Nodulo-ulcerative gumma of knee simulating lupus vulgaris, 584
Recurrent bullous eruption on penis and scrotum due to phenolphthalein, 588
Urticaria papulosa, 131
Wrong, N. M.: Pustular psoriasis, *682

Xanthoma tuberosum multiplex, 603
multiplex, 425
Xeroderma pigmentosum with multiple epitheliomas, 426

Yaws: See Frambesia

Zeisler, E. P.: Sarcoma, pigmented (neurogenic), 734
Schamberg's progressive pigmentary dermatitis, 255
Tularemia, 250
Zona: See Herpes Zoster
Zoster: See Herpes Zoster